

J E S 2 J O B L O G

```
16.41.16 JOB 117 IEF677I WARNING MESSAGE(S) FOR JOB VSTESTE3 ISSUED
16.41.16 JOB 117 $HASP373 VSTESTE3 STARTED - INIT 1 - CLASS A - SYS HMVS
16.41.16 JOB 117 IEF403I VSTESTE3 - STARTED - TIME=16.41.16
16.41.16 JOB 117 IEC130I SYSPUNCH DD STATEMENT MISSING
16.41.16 JOB 117 IEC130I SYSPUNCH DD STATEMENT MISSING
16.41.16 JOB 117 CCI001C COB      /IKFCBL00/00:00:00.05/      /00000/1      /VSTESTE3
16.41.16 JOB 117 CCI001C LKED    /IEWL      /00:00:00.02/      /00000/1      /VSTESTE3
16.41.16 JOB 117 CCI001C GO      /PGM=*.DD/00:00:00.01/  /00000/1      /VSTESTE3
16.41.16 JOB 117 IEF404I VSTESTE3 - ENDED - TIME=16.41.16
16.41.16 JOB 117 $HASP395 VSTESTE3 ENDED
```

----- JES2 JOB STATISTICS -----

07 JUL 20 JOB EXECUTION DATE

17 CARDS READ

593 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.00 MINUTES EXECUTION TIME

```

1 //VSTESTE3 JOB 1,'VSAMIO IVP ESDSREAD ',CLASS=A,MSGCLASS=X, JOB 117
// REGION=4096K
***
*****
*** COBOL MODULE: ESDSREAD VSAM DATASET: VSTESTES.CLUSTER (ESDS)
***
*** SEQUENTIALLY READS ALL RECORDS FROM ENTRY SEQUENCED DATASET
*****
***
2 //COB EXEC COBUCLG,REGION.GO=1024K,CPARM1='LOAD,LIB,DMAP'
3 XXCOBUCLG PROC CPARM1='LOAD,SUPMAP', 100010000
XX CPARM2='SIZE=2048K,BUF=1024K' 00020000
4 XXCOB EXEC PGM=IKFCBL00,REGION=4096K, 00040001
XX PARM='&CPARM1,&CPARM2' 00050001
5 XXSTEPLIB DD DSN=SYSC.LINKLIB,DISP=SHR 00051001
6 XXSYSPRINT DD SYSOUT=* 00060000
7 XXSYSUT1 DD UNIT=SYSDA,SPACE=(460,(700,100)) 00070000
8 XXSYSUT2 DD UNIT=SYSDA,SPACE=(460,(700,100)) 00080000
9 XXSYSUT3 DD UNIT=SYSDA,SPACE=(460,(700,100)) 00090000
10 XXSYSUT4 DD UNIT=SYSDA,SPACE=(460,(700,100)) 00100000
11 XXSYSLIN DD DSN=&LOADSET,DISP=(MOD,PASS),UNIT=SYSDA, 00110000
XX SPACE=(80,(500,100)) 00120000
12 //COB.SYSLIB DD DSN=SYSC.VSAMIO.SOURCE,DISP=SHR
13 //COB.SYSIN DD DSN=SYSC.VSAMIO.SOURCE(ESDSREAD),DISP=SHR
14 XXLKED EXEC PGM=IEWL,PARM='LIST,XREF,LET',COND=(5,LT,COB),REGION=96K 00130000
15 XXSYSLIN DD DSN=&LOADSET,DISP=(OLD,DELETE) 00140000
16 XX DD DDNAME=SYSIN 00150000
17 XXSYSLMOD DD DSN=&GODATA(RUN),DISP=(NEW,PASS),UNIT=SYSDA, 00160000
XX SPACE=(1024,(50,20,1)) 00170000
18 //LKED.SYSLIB DD
X/SYSLIB DD DSN=SYSC.COBLIB,DISP=SHR 00180000
19 // DD DSN=SYSC.LINKLIB,DISP=SHR
20 XXSYSUT1 DD UNIT=SYSDA,SPACE=(1024,(50,20)) 00190000
21 XXSYSPRINT DD SYSOUT=* 00200000
22 XXGO EXEC PGM=*.LKED.SYSLMOD,COND=((5,LT,COB),(5,LT,LKED)) 00210000
23 //GO.SYSOUT DD SYSOUT=*
24 //GO.SYSUDUMP DD SYSOUT=*
25 //GO.ESDSF01 DD DSN=PUB001.VSTESTES.CLUSTER,DISP=OLD

```

STMT NO. MESSAGE

4 IEF653I SUBSTITUTION JCL - PARM='LOAD,LIB,DMAP,SIZE=2048K,BUF=1024K'
22 IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED

IEF236I ALLOC. FOR VSTESTE3 COB COB
IEF237I 253 ALLOCATED TO STEPLIB
IEF237I 253 ALLOCATED TO SYS00167
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 380 ALLOCATED TO SYSUT1
IEF237I 251 ALLOCATED TO SYSUT2
IEF237I 370 ALLOCATED TO SYSUT3
IEF237I 252 ALLOCATED TO SYSUT4
IEF237I 380 ALLOCATED TO SYSLIN
IEF237I 253 ALLOCATED TO SYSLIB
IEF237I 253 ALLOCATED TO SYSIN

IEC130I SYSPUNCH DD STATEMENT MISSING
IEC130I SYSPUNCH DD STATEMENT MISSING

IEF142I VSTESTE3 COB COB - STEP WAS EXECUTED - COND CODE 0000

IEF285I SYSC.LINKLIB KEPT *-----0
IEF285I VOL SER NOS= SYSCP. KEPT *-----0
IEF285I UCSYSCP. KEPT *-----0
IEF285I VOL SER NOS= SYSCP. SYSOUT
IEF285I JES2.JOB00117.SO0101 DELETED *-----6
IEF285I SYS20189.T164116.RA00.VSTESTE3.R0000001 DELETED *-----6
IEF285I VOL SER NOS= MVS380. DELETED *-----6
IEF285I SYS20189.T164116.RA00.VSTESTE3.R0000002 DELETED *-----6
IEF285I VOL SER NOS= WORK00. DELETED *-----9
IEF285I SYS20189.T164116.RA00.VSTESTE3.R0000003 DELETED *-----6
IEF285I VOL SER NOS= MVS370. DELETED *-----6
IEF285I SYS20189.T164116.RA00.VSTESTE3.R0000004 DELETED *-----6
IEF285I VOL SER NOS= WORK01. PASSED *-----52
IEF285I SYS20189.T164116.RA00.VSTESTE3.LOADSET PASSED *-----52
IEF285I VOL SER NOS= MVS380. KEPT *-----6
IEF285I SYSC.VSAMIO.SOURCE KEPT *-----6
IEF285I VOL SER NOS= SYSCP. KEPT *-----2
IEF285I SYSC.VSAMIO.SOURCE KEPT *-----2
IEF285I VOL SER NOS= SYSCP.

IEF373I STEP /COB / START 20189.1641

IEF374I STEP /COB / STOP 20189.1641 CPU 0MIN 00.05SEC SRB 0MIN 00.02SEC VIRT 2076K SYS 216K

**** JOBCARD READ 20189 16:41:16 *****

* PRC-CCI 370/148 VS2 R03.8 HMVS STEP STATISTICS *
* STEP NAME COB USER CORE 2076K TAPES USED/IO 000/000000000 START TIME 16:41:16 TCB TIME 00:00:00.05 *
* PGM NAME IKFCBL00 SYSTEM CORE 216K DISKS USED/IO 005/000000087 STOP TIME 16:41:16 SRB TIME 00:00:00.02 *
* COND CODE 0000 PRIVATE AREA SZ 4096K ALLOC TIME 16:41:16 ELAPSED TIME PGM LOAD 16:41:16 *
** PGNO * NR SRV UNITS * ACTIVE TIME ** PAGES IN *** PAGES OUT ** # SWAPS * PGS SWAP IN * PGS SWAP OUT * VIO PGS IN * VIO PGS OUT **
* 004 525 00:00:00.09 0 0 0 0 0 0 0 *

* CPU \$ (0.01) + EXCP \$ (0.11) + MEMORY \$ (0.29) = TOTAL \$ (0.41) *

IEF236I ALLOC. FOR VSTESTE3 LKED COB
IEF237I 380 ALLOCATED TO SYSLIN
IEF237I DMY ALLOCATED TO
IEF237I 251 ALLOCATED TO SYSLMOD
IEF237I 253 ALLOCATED TO SYSLIB
IEF237I 253 ALLOCATED TO
IEF237I 253 ALLOCATED TO SYS00169
IEF237I 370 ALLOCATED TO SYSUT1
IEF237I JES2 ALLOCATED TO SYSPRINT

IEF142I VSTESTE3 LKED COB - STEP WAS EXECUTED - COND CODE 0000

IEF285I SYS20189.T164116.RA00.VSTESTE3.LOADSET DELETED *-----53
IEF285I VOL SER NOS= MVS380.

```

IEF285I  SYS20189.T164116.RA000.VSTESTE3.GODATA      PASSED      *-----12
IEF285I  VOL SER NOS= WORK00.
IEF285I  SYSC.COBLIB                                KEPT        *-----27
IEF285I  VOL SER NOS= SYSCPK.
IEF285I  SYSC.LINKLIB                                KEPT        *-----0
IEF285I  VOL SER NOS= SYSCPK.
IEF285I  UCSYSCPK                                    KEPT        *-----0
IEF285I  VOL SER NOS= SYSCPK.
IEF285I  SYS20189.T164116.RA000.VSTESTE3.R0000005    DELETED     *-----0
IEF285I  VOL SER NOS= MVS370.
IEF285I  JES2.JOB00117.S00102                      SYSOUT
IEF373I  STEP /LKED      / START 20189.1641
IEF374I  STEP /LKED      / STOP  20189.1641 CPU      OMIN 00.02SEC SRB      OMIN 00.00SEC VIRT    260K SYS    208K
*****
*
*          PRC-CCI  370/148 VS2 R03.8  HMVS  STEP STATISTICS
* STEP NAME  LKED      USER CORE      260K  TAPES USED/IO 000/000000000  START  TIME  16:41:16  TCB TIME  00:00:00.02 *
* PGM NAME  IEWL      SYSTEM CORE      208K  DISKS USED/IO 004/000000092  STOP   TIME  16:41:16  SRB TIME  00:00:00.00 *
* COND CODE  0000     PRIVATE AREA SZ  4096K  ALLOC TIME  16:41:16  ELAPSED TIME          PGM LOAD  16:41:16 *
** PGNO * NR SRV UNITS * ACTIVE TIME ** PAGES IN *** PAGES OUT ** # SWAPS * PGS SWAP IN * PGS SWAP OUT * VIO PGS IN * VIO PGS OUT **
*  004      493    00:00:00.02          0          0          0          0          0          0          0          0 *
*****
* CPU $ ( 0.00) + EXCP $ ( 0.12) + MEMORY $ ( 0.01) = TOTAL $ ( 0.13)
*****
IEF236I  ALLOC. FOR VSTESTE3 GO COB
IEF237I  251  ALLOCATED TO PGM=*.DD
IEF237I  JES2 ALLOCATED TO SYSOUT
IEF237I  JES2 ALLOCATED TO SYSUDUMP
IEF237I  190  ALLOCATED TO ESDSF01
IEF237I  190  ALLOCATED TO SYS00171
IEF142I  VSTESTE3 GO COB - STEP WAS EXECUTED - COND CODE 0000
IEF285I  SYS20189.T164116.RA000.VSTESTE3.GODATA      KEPT        *-----0
IEF285I  VOL SER NOS= WORK00.
IEF285I  JES2.JOB00117.S00103                      SYSOUT
IEF285I  JES2.JOB00117.S00104                      SYSOUT
IEF285I  PUB001.VSTESTES.CLUSTER                   KEPT        *-----1
IEF285I  VOL SER NOS= PUB001.
IEF285I  UCPUB001                                    KEPT        *-----0
IEF285I  VOL SER NOS= PUB001.
IEF373I  STEP /GO      / START 20189.1641
IEF374I  STEP /GO      / STOP  20189.1641 CPU      OMIN 00.01SEC SRB      OMIN 00.00SEC VIRT    56K SYS    216K
*****
*
*          PRC-CCI  370/148 VS2 R03.8  HMVS  STEP STATISTICS
* STEP NAME  GO      USER CORE      56K  TAPES USED/IO 000/000000000  START  TIME  16:41:16  TCB TIME  00:00:00.01 *
* PGM NAME  PGM=*.DD  SYSTEM CORE      216K  DISKS USED/IO 002/000000001  STOP   TIME  16:41:16  SRB TIME  00:00:00.00 *
* COND CODE  0000     PRIVATE AREA SZ  4096K  ALLOC TIME  16:41:16  ELAPSED TIME          PGM LOAD  16:41:16 *
** PGNO * NR SRV UNITS * ACTIVE TIME ** PAGES IN *** PAGES OUT ** # SWAPS * PGS SWAP IN * PGS SWAP OUT * VIO PGS IN * VIO PGS OUT **
*  004      40    00:00:00.01          0          0          0          0          0          0          0          0 *
*****
* CPU $ ( 0.00) + EXCP $ ( 0.00) + MEMORY $ ( 0.00) = TOTAL $ ( 0.00)
*****
IEF237I  251  ALLOCATED TO SYS00001
IEF285I  SYS20189.T164116.RA000.VSTESTE3.R0000001    KEPT        *-----0
IEF285I  VOL SER NOS= WORK00.
IEF285I  SYS20189.T164116.RA000.VSTESTE3.GODATA      DELETED
IEF285I  VOL SER NOS= WORK00.
IEF375I  JOB /VSTESTE3/ START 20189.1641
IEF376I  JOB /VSTESTE3/ STOP  20189.1641 CPU      OMIN 00.08SEC SRB      OMIN 00.02SEC

```

1

```

00001 000100 IDENTIFICATION DIVISION.                                09510000
00002 000200 PROGRAM-ID. ESDSREAD.                                  09520000
00003 000300 AUTHOR. JAY MOSELEY.                                  09530000
00004 000400 DATE-WRITTEN. NOVEMBER, 2001.                        09540000
00005 000500 DATE-COMPILED. JUL 7,1920.                          09550000
00006 001200 ENVIRONMENT DIVISION.                                09620000
00007 001300 CONFIGURATION SECTION.                              09630000
00008 001400 SOURCE-COMPUTER. IBM-370.                          09640000
00009 001500 OBJECT-COMPUTER. IBM-370.                          09650000
00010 001600                                                         09660000
00011 001700 INPUT-OUTPUT SECTION.                               09670000
00012 001800 FILE-CONTROL.                                       09680000
00013 001900                                                         09690000
00014 002000 DATA DIVISION.                                     09700000
00015 002100 FILE SECTION.                                       09710000
00016 002200                                                         09720000
00017 002300 WORKING-STORAGE SECTION.                            09730000
00018 002400 77  END-OF-FILE-SWITCH          PIC X(1)    VALUE 'N'.    09740000
00019 002500      88  END-OF-FILE              VALUE 'Y'.    09750000
00020 002600                                                         09760000
00021 002700 77  RECORD-COUNTER              PIC S9(8)    VALUE +0.    09770000
00022 002800 77  COUNTER-EDIT                PIC ZZ,ZZZ,ZZ9.  09780000
00023 002900                                                         09790000
00024 003000 01  VSIO-PARAMETER-VALUES        COPY VSAMIO.    09800000
00025 C 000100* ***** *06980000
00026 C 000200* *06990000
00027 C 000300*      VV  VV  SSSSS      A      M      M  IIII      OOOOO      *07000000
00028 C 000400*      VV  VV  SS   SS   AAA  MM  MM  II  OO  OO      *07010000
00029 C 000500*      VV  VV  SS           AA AA  MMM MMM  II  OO  OO      *07020000
00030 C 000600*      VV  VV  SSSSS  AA  AA  MMMMMMMM  II  OO  OO      *07030000
00031 C 000700*      VV  VV           SS AA  AA  MM M  MM  II  OO  OO      *07040000
00032 C 000800*      VV VV  SS   SS  AAAAAAA  MM  MM  II  OO  OO      *07050000
00033 C 000900*      VVV  SS   SS  AA  AA  MM  MM  II  OO  OO      *07060000
00034 C 001000*      V      SSSSS  AA  AA  MM  MM  IIII  OOOOO      *07070000
00035 C 001100* *07080000
00036 C 001200* ***** *07090000
00037 C 001300* *07100000
00038 C 001400* THESE PARAMETERS ARE USED TO INTERFACE WITH THE VSAM DATASET *07110000
00039 C 001500* ACCESS ROUTINE. *07120000
00040 C 001600* *07130000
00041 C 001700* THE VSIO-PARAMETER-VALUES SUPPLY THE VALUES USED TO MOVE INTO *07140000
00042 C 001800* PARAMETER ENTRIES TO TAILOR THE ROUTINE TO A SPECIFIC DATASET *07150000
00043 C 001900* AND TO PROVIDE COMMANDS TO DRIVE THE ROUTINE. *07160000
00044 C 002000* ***** *07170000
00045 C 002100 01  VSIO-PARAMETER-VALUES.                                07180000
00046 C 002200      02  VSIO-OPEN          PIC  X(08)  VALUE 'OPEN  ' .  07190000
00047 C 002300      02  VSIO-CLOSE        PIC  X(08)  VALUE 'CLOSE  ' .  07200000
00048 C 002400      02  VSIO-READ         PIC  X(08)  VALUE 'READ   ' .  07210000
00049 C 002500      02  VSIO-WRITE        PIC  X(08)  VALUE 'WRITE  ' .  07220000
00050 C 002600      02  VSIO-REWRITE      PIC  X(08)  VALUE 'REWRITE' .  07230000
00051 C 002700      02  VSIO-DELETE       PIC  X(08)  VALUE 'DELETE ' .  07240000
00052 C 002800      02  VSIO-START-KEY-EQUAL PIC X(08)  VALUE 'STARTEQ' .  07250000
00053 C 002900      02  VSIO-START-KEY-NOTLESS PIC X(08)  VALUE 'STARTGE' .  07260000
00054 C 003000      02  VSIO-KSDS         PIC  X(04)  VALUE 'KSDS' .  07270000

```

```

00055 C 003100      02 VSIO-ESDS          PIC X(04) VALUE 'ESDS'.          07280000
00056 C 003200      02 VSIO-RRDS          PIC X(04) VALUE 'RRDS'.          07290000
00057 C 003300      02 VSIO-SEQUENTIAL    PIC X(10) VALUE 'SEQUENTIAL'.    07300000
00058 C 003400      02 VSIO-DIRECT        PIC X(10) VALUE 'DIRECT'.        07310000
00059 C 003500      02 VSIO-DYNAMIC       PIC X(10) VALUE 'DYNAMIC'.       07320000
00060 C 003600      02 VSIO-INPUT         PIC X(06) VALUE 'INPUT'.         07330000
00061 C 003700      02 VSIO-OUTPUT        PIC X(06) VALUE 'OUTPUT'.        07340000
00062 C 003800      02 VSIO-INPUT-OUTPUT  PIC X(06) VALUE 'UPDATE'.        07350000
00063 C 003900                                07360000
00064 C 004000* ***** *07370000
00065 C 004100* THE VSIO-PARAMETER-BLOCK IS THE COMMUNICATION INTERFACE TO *07380000
00066 C 004200* THE ROUTINE. *07390000
00067 C 004300* ***** *07400000
00068 C 004400 01 VSIO-PARAMETER-BLOCK.                                07410000
00069 C 004500      02 VSIO-COMMAND          PIC X(08).                                07420000
00070 C 004600      02 VSIO-RETURN-CODE      PIC S9(04) COMP.                          07430000
00071 C 004700          88 VSIO-SUCCESS          VALUE +0.                                07440000
00072 C 004800          88 VSIO-LOGIC-ERROR        VALUE +8.                                07450000
00073 C 004900          88 VSIO-END-OF-FILE          VALUE +9999.                            07460000
00074 C 005000          88 VSIO-PARAMETER-ERROR      VALUE +20 THRU +28.                      07470000
00075 C 005100          88 VSIO-COMMAND-UNKNOWN        VALUE +20.                                07480000
00076 C 005200          88 VSIO-DATASET-ALREADY-OPEN    VALUE +21.                                07490000
00077 C 005300          88 VSIO-DATASET-NOT-OPEN        VALUE +22.                                07500000
00078 C 005400          88 VSIO-ORGANIZATION-KEYWORD    VALUE +23.                                07510000
00079 C 005500          88 VSIO-ACCESS-KEYWORD          VALUE +24.                                07520000
00080 C 005600          88 VSIO-ACCESS-UNSUPPORTED        VALUE +25.                                07530000
00081 C 005700          88 VSIO-MODE-KEYWORD            VALUE +26.                                07540000
00082 C 005800          88 VSIO-MODE-UNSUPPORTED        VALUE +27.                                07550000
00083 C 005900          88 VSIO-DDNAME-BLANK            VALUE +28.                                07560000
00084 C 006000      02 VSIO-VSAM-RETURN-CODE  PIC S9(04) COMP.                          07570000
00085 C 006100      02 VSIO-VSAM-FUNCTION-CODE  PIC S9(04) COMP.                          07580000
00086 C 006200      02 VSIO-VSAM-FEEDBACK-CODE  PIC S9(04) COMP.                          07590000
00087 C 006300          88 VSIO-DUPLICATE-RECORD        VALUE +8.                                07600000
00088 C 006400          88 VSIO-SEQUENCE-ERROR          VALUE +12.                               07610000
00089 C 006500          88 VSIO-RECORD-NOT-FOUND        VALUE +16.                               07620000
00090 C 006600          88 VSIO-NO-MORE-SPACE            VALUE +28.                               07630000
00091 C 006700          88 VSIO-READ-WITHOUT-START      VALUE +88.                               07640000
00092 C 006800* ***** *07650000
00093 C 006900*                END OF VSAMIO COPY BOOK *07660000
00094 C 007000* ***** *07670000
00095 C 003100 01 ESDSF01                                COPY VSAMIOFB.                            09810000
00096 C 000100* ***** *00000100
00097 C 000200*                *00000200
00098 C 000300* VV VV SSSS A M M IIII OOOO FFFFFFFF BBBB *00000300
00099 C 000400* VV VV SS SS AAA MM MM II OO OO FF BB BB *00000400
00100 C 000500* VV VV SS AA AA MMM MMM II OO OO FF BB BB *00000500
00101 C 000600* VV VV SSSS AA AA MMMMMM II OO OO FFFF BBBB *00000600
00102 C 000700* VV VV SS AA AA MM M MM II OO OO FF BB BB *00000700
00103 C 000800* VV VV SS SS AAAAAA MM MM II OO OO FF BB BB *00000800
00104 C 000900* VVV SS SS AA AA MM MM II OO OO FF BB BB *00000900
00105 C 001000* V SSSS AA AA MM MM IIII OOOO FF BBBB *00001000
00106 C 001100*                *00001100
00107 C 001200* ***** *00001200
00108 C 001300* THESE PARAMETERS ARE USED TO INTERFACE WITH THE VSAM DATASET *00001300
00109 C 001400* ACCESS ROUTINE, AND ARE USED TO COMMUNICATE CHARACTERISTICS *00001400
00110 C 001500* FOR A SINGLE VSAM DATASET. *00001500
00111 C 001600*                *00001600

```

```

00112 C 001700* WITH THE 2 EXCEPTIONS FOR RECORD LENGTH (TO ACCOMODATE *00001700
00113 C 001800* VARIABLE LENGTH RECORDS) AND RELATIVE RECORD (TO ACCOMODATE *00001800
00114 C 001900* RELATIVE RECORD DATASETS) THESE DATA NAMES MUST BE POPULATED *00001900
00115 C 002000* PRIOR TO CALLING THE ROUTINE TO OPEN THE DATASET AND MUST NOT *00002000
00116 C 002100* THEN BE CHANGED UNTIL THE DATASET HAS BEEN CLOSED. *00002100
00117 C 002200* ***** *00002200
00118 C 002300 01 ESDSF01. 00002300
00119 C 002400 02 VSIO-DDNAME PIC X(08) VALUE SPACES. 00002400
00120 C 002500 02 VSIO-ORGANIZATION PIC X(04) VALUE SPACES. 00002500
00121 C 002600 02 VSIO-ACCESS PIC X(10) VALUE SPACES. 00002600
00122 C 002700 02 VSIO-MODE PIC X(06) VALUE SPACES. 00002700
00123 C 002800 02 VSIO-RECORD-LENGTH PIC S9(04) COMP VALUE +0. 00002800
00124 C 002900 02 VSIO-KEY-ARGUMENT. 00002900
00125 C 003000 03 VSIO-KEY-POSITION PIC S9(04) COMP VALUE +0. 00003000
00126 C 003100 03 VSIO-KEY-LENGTH PIC S9(04) COMP VALUE +0. 00003100
00127 C 003200 02 VSIO-RELATIVE-RECORD REDEFINES VSIO-KEY-ARGUMENT 00003200
00128 C 003300 PIC S9(08) COMP. 00003300
00129 C 003400 02 FILLER PIC X(01) VALUE 'C'. 00003400
00130 C 003500 88 VSIO-FILE-OPEN VALUE 'O'. 00003500
00131 C 003600 88 VSIO-FILE-CLOSED VALUE 'C'. 00003600
00132 C 003700 02 FILLER PIC X(161). 00003700
00133 C 003800* ***** *00003800
00134 C 003900* END OF VSAMIOFB COPY BOOK *00003900
00135 C 004000* ***** *00004000
00136 003200 01 ESDS-RECORD PIC X(80). 09820000
00137 003300 09830000
00138 003400 PROCEDURE DIVISION. 09840000
00139 003500 09850000
00140 003600 000-INITIATE. 09860000
00141 003700 09870000
00142 003800 DISPLAY 'ESDSREAD: READ ESDS SEQUENTIALLY'. 09880000
00143 003900 DISPLAY '-----'. 09890000
00144 004000 DISPLAY ' '. 09900000
00145 004100 09910000
00146 004200 MOVE 'ESDSF01' TO VSIO-DDNAME. 09920000
00147 004300 MOVE VSIO-ESDS TO VSIO-ORGANIZATION. 09930000
00148 004400 MOVE VSIO-SEQUENTIAL TO VSIO-ACCESS. 09940000
00149 004500 MOVE VSIO-INPUT TO VSIO-MODE. 09950000
00150 004600 MOVE +80 TO VSIO-RECORD-LENGTH. 09960000
00151 004700 MOVE +0 TO VSIO-KEY-LENGTH, VSIO-KEY-POSITION. 09970000
00152 004800 MOVE VSIO-OPEN TO VSIO-COMMAND. 09980000
00153 004900 CALL 'VSAMIO' USING VSIO-PARAMETER-BLOCK, ESDSF01, 09990000
00154 005000 ESDS-RECORD. 10000000
00155 005100* END-CALL. 10010000
00156 005200 IF NOT VSIO-SUCCESS 10020000
00157 005300 DISPLAY 'VSAMIO ERROR OCCURRED DURING ' 10030000
00158 005400 VSIO-COMMAND 10040000
00159 005500 EXHIBIT NAMED VSIO-RETURN-CODE, 10050000
00160 005600 EXHIBIT NAMED VSIO-VSAM-RETURN-CODE, 10060000
00161 005700 VSIO-VSAM-FUNCTION-CODE, 10070000
00162 005800 VSIO-VSAM-FEEDBACK-CODE 10080000
00163 005900 STOP RUN. 10090000
00164 006000* END-IF. 10100000
00165 006100 10110000
00166 006200 010-PROCESS. 10120000
00167 006300 10130000
00168 006400 PERFORM 110-PROCESS-DATA 10140000

```

00169	006500	THRU 119-EXIT	10150000
00170	006600	UNTIL END-OF-FILE.	10160000
00171	006700*	END-PERFORM.	10170000
00172	006800		10180000
00173	006900	020-TERMINATE.	10190000
00174	007000		10200000
00175	007100	MOVE VSIO-CLOSE TO VSIO-COMMAND.	10210000
00176	007200	CALL 'VSAMIO' USING VSIO-PARAMETER-BLOCK, ESDSF01,	10220000
00177	007300	ESDS-RECORD.	10230000
00178	007400*	END-CALL.	10240000
00179	007500	IF NOT VSIO-SUCCESS	10250000
00180	007600	DISPLAY 'VSAMIO ERROR OCCURRED DURING '	10260000
00181	007700	VSIO-COMMAND	10270000
00182	007800	EXHIBIT NAMED VSIO-RETURN-CODE,	10280000
00183	007900	EXHIBIT NAMED VSIO-VSAM-RETURN-CODE,	10290000
00184	008000	VSIO-VSAM-FUNCTION-CODE,	10300000
00185	008100	VSIO-VSAM-FEEDBACK-CODE.	10310000
00186	008200*	END-IF.	10320000
00187	008300		10330000
00188	008400	STOP RUN.	10340000
00189	008500		10350000
00190	008600	110-PROCESS-DATA.	10360000
00191	008700		10370000
00192	008800	MOVE VSIO-READ TO VSIO-COMMAND.	10380000
00193	008900	CALL 'VSAMIO' USING VSIO-PARAMETER-BLOCK, ESDSF01,	10390000
00194	009000	ESDS-RECORD.	10400000
00195	009100*	END-CALL.	10410000
00196	009200		10420000
00197	009300	IF NOT VSIO-SUCCESS	10430000
00198	009400	IF VSIO-END-OF-FILE	10440000
00199	009500	MOVE 'Y' TO END-OF-FILE-SWITCH	10450000
00200	009600	ELSE	10460000
00201	009700	DISPLAY 'VSAMIO ERROR OCCURRED DURING '	10470000
00202	009800	VSIO-COMMAND	10480000
00203	009900	EXHIBIT NAMED VSIO-RETURN-CODE,	10490000
00204	010000	EXHIBIT NAMED VSIO-VSAM-RETURN-CODE,	10500000
00205	010100	VSIO-VSAM-FUNCTION-CODE,	10510000
00206	010200	VSIO-VSAM-FEEDBACK-CODE	10520000
00207	010300	MOVE 'Y' TO END-OF-FILE-SWITCH.	10530000
00208	010400*	END-IF	10540000
00209	010500*	END-IF.	10550000
00210	010600		10560000
00211	010700	IF NOT END-OF-FILE	10570000
00212	010800	ADD +1 TO RECORD-COUNTER	10580000
00213	010900	MOVE RECORD-COUNTER TO COUNTER-EDIT	10590000
00214	011000	DISPLAY COUNTER-EDIT ': ' ESDS-RECORD.	10600000
00215	011100*	END-IF.	10610000
00216	011200		10620000
00217	011300	119-EXIT.	10630000
00218	011400	EXIT.	10640000
00219	011500		10650000
00220	011600		10660000

INTRNL NAME	LVL	SOURCE NAME	BASE	DISPL	INTRNL NAME	DEFINITION	USAGE	R	O	Q	M
DNM=1-127	77	END-OF-FILE-SWITCH	BL=1	000	DNM=1-127	DS 1C	DISP				
DNM=1-158	88	END-OF-FILE			DNM=1-158						
DNM=1-180	77	RECORD-COUNTER	BL=1	001	DNM=1-180	DS 8C	DISP-NM				
DNM=1-204	77	COUNTER-EDIT	BL=1	009	DNM=1-204	DS 10C	NM-EDIT				
DNM=1-241	01	VSIO-PARAMETER-VALUES	BL=1	018	DNM=1-241	DS 0CL124	GROUP				
DNM=1-275	02	VSIO-OPEN	BL=1	018	DNM=1-275	DS 8C	DISP				
DNM=1-294	02	VSIO-CLOSE	BL=1	020	DNM=1-294	DS 8C	DISP				
DNM=1-314	02	VSIO-READ	BL=1	028	DNM=1-314	DS 8C	DISP				
DNM=1-336	02	VSIO-WRITE	BL=1	030	DNM=1-336	DS 8C	DISP				
DNM=1-356	02	VSIO-REWRITE	BL=1	038	DNM=1-356	DS 8C	DISP				
DNM=1-378	02	VSIO-DELETE	BL=1	040	DNM=1-378	DS 8C	DISP				
DNM=1-399	02	VSIO-START-KEY-EQUAL	BL=1	048	DNM=1-399	DS 8C	DISP				
DNM=1-429	02	VSIO-START-KEY-NOTLESS	BL=1	050	DNM=1-429	DS 8C	DISP				
DNM=1-461	02	VSIO-KSDS	BL=1	058	DNM=1-461	DS 4C	DISP				
DNM=1-480	02	VSIO-ESDS	BL=1	05C	DNM=1-480	DS 4C	DISP				
DNM=2-000	02	VSIO-RRDS	BL=1	060	DNM=2-000	DS 4C	DISP				
DNM=2-019	02	VSIO-SEQUENTIAL	BL=1	064	DNM=2-019	DS 10C	DISP				
DNM=2-044	02	VSIO-DIRECT	BL=1	06E	DNM=2-044	DS 10C	DISP				
DNM=2-065	02	VSIO-DYNAMIC	BL=1	078	DNM=2-065	DS 10C	DISP				
DNM=2-087	02	VSIO-INPUT	BL=1	082	DNM=2-087	DS 6C	DISP				
DNM=2-107	02	VSIO-OUTPUT	BL=1	088	DNM=2-107	DS 6C	DISP				
DNM=2-128	02	VSIO-INPUT-OUTPUT	BL=1	08E	DNM=2-128	DS 6C	DISP				
DNM=2-155	01	VSIO-PARAMETER-BLOCK	BL=1	098	DNM=2-155	DS 0CL16	GROUP				
DNM=2-188	02	VSIO-COMMAND	BL=1	098	DNM=2-188	DS 8C	DISP				
DNM=2-213	02	VSIO-RETURN-CODE	BL=1	0A0	DNM=2-213	DS 2C	COMP				
DNM=2-242	88	VSIO-SUCCESS			DNM=2-242						
DNM=2-267	88	VSIO-LOGIC-ERROR			DNM=2-267						
DNM=2-296	88	VSIO-END-OF-FILE			DNM=2-296						
DNM=2-327	88	VSIO-PARAMETER-ERROR			DNM=2-327						
DNM=2-357	88	VSIO-COMMAND-UNKNOWN			DNM=2-357						
DNM=2-391	88	VSIO-DATASET-ALREADY-OPEN			DNM=2-391						
DNM=2-430	88	VSIO-DATASET-NOT-OPEN			DNM=2-430						
DNM=2-465	88	VSIO-ORGANIZATION-KEYWORD			DNM=2-465						
DNM=3-000	88	VSIO-ACCESS-KEYWORD			DNM=3-000						
DNM=3-033	88	VSIO-ACCESS-UNSUPPORTED			DNM=3-033						
DNM=3-070	88	VSIO-MODE-KEYWORD			DNM=3-070						
DNM=3-101	88	VSIO-MODE-UNSUPPORTED			DNM=3-101						
DNM=3-136	88	VSIO-DDNAME-BLANK			DNM=3-136						
DNM=3-167	02	VSIO-VSAM-RETURN-CODE	BL=1	0A2	DNM=3-167	DS 2C	COMP				
DNM=3-198	02	VSIO-VSAM-FUNCTION-CODE	BL=1	0A4	DNM=3-198	DS 2C	COMP				
DNM=3-231	02	VSIO-VSAM-FEEDBACK-CODE	BL=1	0A6	DNM=3-231	DS 2C	COMP				
DNM=3-267	88	VSIO-DUPLICATE-RECORD			DNM=3-267						
DNM=3-301	88	VSIO-SEQUENCE-ERROR			DNM=3-301						
DNM=3-334	88	VSIO-RECORD-NOT-FOUND			DNM=3-334						
DNM=3-369	88	VSIO-NO-MORE-SPACE			DNM=3-369						
DNM=3-401	88	VSIO-READ-WITHOUT-START			DNM=3-401						
DNM=3-438	01	ESDSF01	BL=1	0A8	DNM=3-438	DS 0CL196	GROUP				
DNM=3-458	02	VSIO-DDNAME	BL=1	0A8	DNM=3-458	DS 8C	DISP				
DNM=3-479	02	VSIO-ORGANIZATION	BL=1	0B0	DNM=3-479	DS 4C	DISP				
DNM=4-000	02	VSIO-ACCESS	BL=1	0B4	DNM=4-000	DS 10C	DISP				
DNM=4-021	02	VSIO-MODE	BL=1	0BE	DNM=4-021	DS 6C	DISP				
DNM=4-040	02	VSIO-RECORD-LENGTH	BL=1	0C4	DNM=4-040	DS 2C	COMP				
DNM=4-068	02	VSIO-KEY-ARGUMENT	BL=1	0C6	DNM=4-068	DS 0CL4	GROUP				
DNM=4-098	03	VSIO-KEY-POSITION	BL=1	0C6	DNM=4-098	DS 2C	COMP				
DNM=4-128	03	VSIO-KEY-LENGTH	BL=1	0C8	DNM=4-128	DS 2C	COMP				

INTRNL NAME	LVL	SOURCE NAME	BASE	DISPL	INTRNL NAME	DEFINITION	USAGE	R	O	Q	M
DNM=4-153	02	VSIO-RELATIVE-RECORD	BL=1	0C6	DNM=4-153	DS 4C	COMP	R			
DNM=4-183	02	FILLER	BL=1	0CA	DNM=4-183	DS 1C	DISP				
DNM=4-205	88	VSIO-FILE-OPEN			DNM=4-205						
DNM=4-230	88	VSIO-FILE-CLOSED			DNM=4-230						
DNM=4-257	02	FILLER	BL=1	0CB	DNM=4-257	DS 161C	DISP				
DNM=4-276	01	ESDS-RECORD	BL=1	170	DNM=4-276	DS 80C	DISP				

```
*STATISTICS*      SOURCE RECORDS = 220      DATA DIVISION STATEMENTS = 63      PROCEDURE DIVISION STATEMENTS = 39
*OPTIONS IN EFFECT*  SIZE = 2097152  BUF = 1048576  LINECNT = 57  SPACE1, FLAGW, SEQ, SOURCE
*OPTIONS IN EFFECT*  DMAP, NOPMAP, NOCLIST, SUPMAP, NOXREF, LOAD, NODECK, APOST, NOTRUNC, LIB, NOVERB
*OPTIONS IN EFFECT*  ZWB
```

F64-LEVEL LINKAGE EDITOR OPTIONS SPECIFIED LIST,XREF,LET
DEFAULT OPTION(S) USED - SIZE=(231424,55296)

CROSS REFERENCE TABLE

CONTROL SECTION			ENTRY							
NAME	ORIGIN	LENGTH	NAME	LOCATION	NAME	LOCATION	NAME	LOCATION	NAME	LOCATION
ESDSREAD	00	9CC								
ILBODSP0*	9D0	700								
ILBOSTP0*	10D0	35								
			ILBOSTP1	10E6						
VSAMIO *	1108	D0A								

LOCATION	REFERS TO SYMBOL	IN CONTROL SECTION	LOCATION	REFERS TO SYMBOL	IN CONTROL SECTION
448	ILBOSTP0	ILBOSTP0	44C	ILBODSP0	ILBODSP0
450	VSAMIO	VSAMIO	454	ILBOSTP1	ILBOSTP0

ENTRY ADDRESS 00

TOTAL LENGTH 1E18

***RUN DOES NOT EXIST BUT HAS BEEN ADDED TO DATA SET

AUTHORIZATION CODE IS 0.

ESDSREAD: READ ESDS SEQUENTIALLY

1:	0045557001	LISA L FONTAINE	714 SUNSET PLACE	SAN ANTONIO	TX
2:	0130758002	VIRGINIA O RENFRO	2111 BRIDGE AVENUE	BRIDGEPORT	CT
3:	0243081003	JILL W SCHWAB	5641 WASHINGTON STREET	WEST PALM BEACH	FL
4:	0366881004	LUCY J CHILDRESS	2777 GUADLAUPE BLVD	ROSWELL	GA
5:	0517579005	DEBRA K RODGERS	1048 WINDHAM COURT	GREENVILLE	SC
6:	0561094006	TAMMY L SCHAEFER	3911 KINGS RIDGE STREET	EUGENE	OR
7:	0593878007	LOUIS W HORTON	9722 EASTHAVEN STREET	DES PLAINES	IL
8:	0725148008	BRIAN A HODGES	4292 BONANZA STREET	ENGLEWOOD	CO
9:	0930005009	RUSSELL B HASTINGS	226 WINDTREE STREET	ALBANY	NY
10:	0994201010	ADOLF S CARLISLE	936 LAKEFRONT AVENUE	ROANOAK	VA
11:	1033846021	CHERYL I TUCKER	660 SHORE ROAD	LOUISVILLE	KY
12:	1098019022	HANNAH F QUIMBY	6151 MAIN COURT	PHOENIX	AZ
13:	1168050023	TAMMY J FRANKLIN	5226 ROSA LINDA ROAD	LOUISVILLE	KY
14:	1371074024	TAMMY M HARMON	243 KINGS RIDGE STREET	GREENVILLE	SC
15:	1442146025	LUCY H ERICKSON	6207 RIDGEWAY AVENUE	KANSAS CITY	MO
16:	1511914026	SAMANTHA J TEMPLETON	1534 SUN MEADOW AVENUE	FORT LAUDERDALE	FL
17:	1765093027	DANIEL I GOODWIN	1660 BRIGHT AVENUE	DALLAS	TX
18:	1766129028	JOYCE R NORTON	907 BRANDYWINE CIRCLE	SAN ANTONIO	TX
19:	1778910029	JUDITH H JEFFERSON	766 KNICKERBOCKER PLACE	SIOUX FALLS	SD
20:	1907611030	KEITH E NEWTON	143 BUCKLEY AVENUE	BALDWIN	MO
21:	2119032041	RUTH E GASTON	8754 GARDEN PLACE	FORT LAUDERDALE	FL
22:	2121744042	TROY J NORRIS	716 HILLSIDE ROAD	DENTON	TX
23:	2174003043	SHIRLEY V MATTOX	1260 SHORE AVENUE	FALLS VILLAGE	CT
24:	2229822044	LUCY T HAMMOND	587 CARBONDALE COURT	SALINA	KS
25:	2231748045	SCOTT F HABERMANN	336 BALBOA AVENUE	LAGO VISTA	TX
26:	2324761046	EVERETT L HAMMOND	5912 BISHOP AVENUE	KEARNEY	NE
27:	2363024047	REBECCA A GERBLICK	1617 PARKER AVENUE	SALINA	KS
28:	2483871048	SAMANTHA T MOORE	3586 STRAWBERRY COURT	PONCA CITY	OK
29:	2522284049	WANDA J TUCKER	7807 WINDTREE ROAD	SAN ANTONIO	TX
30:	2597002050	HELEN H FONTAINE	852 WESTRIDGE AVENUE	FORT LAUDERDALE	FL
31:	2806628061	ANDREW T MORENO	8900 WASHINGTON STREET	PROVIDENCE	RI
32:	2822279062	BEVERLY F WINSTON	5585 CHARLESTON ROAD	BOSTON	MA
33:	2845743063	ZELDA W RANDALL	639 SOUTHLAND ROAD	FOREST HEIGHTS	MD
34:	2858277064	CLARA F BRYANT	529 BARNABY STREET	LOUISVILLE	KY
35:	3071401065	MICHELLE A ROSS	188 EASTHAVEN AVENUE	BUFFALO	NY
36:	3129003066	BILL W BECK	1798 SEABREEZE AVENUE	BOSTON	MA
37:	3284189067	RITA N RENFRO	7881 DAISY COURT	SIOUX FALLS	SD
38:	3489628068	ARNOLD R ELISON	465 MAIN AVENUE	TULSA	OK
39:	3775212069	HANNAH J GLOVER	3791 SEABREEZE STREET	NASHAU	NH
40:	3786163070	REBECCA D DOREN	8730 STRAWBERRY ROAD	SPRING	TX
41:	3851331081	CLIFF J DRAKE	169 SHORE AVENUE	CHICAGO	IL
42:	3912384082	CRAIG O LABROIE	8021 MILL MOUNTAIN PLACE	MURFREESBORO	TN
43:	4077702083	ROLAND P RODGERS	827 MEADOW STREET	TULSA	OK
44:	4093285084	JACK J SCHWAB	250 BUCKLEY PLACE	CHICAGO	IL
45:	4176588085	BRENDA O MCKAY	315 A & M PLACE	LA HABRA	CA
46:	4197550086	TROY S POWERS	1707 BRIDGE STREET	ENGLEWOOD	CO
47:	4318291087	SAMANTHA M HALL	8063 EDMUND AVENUE	SAN ANTONIO	TX
48:	4461486088	SAMANTHA E MORENO	5196 BAYVIEW PLACE	BRIDGEPORT	CT
49:	4514067089	JIM B RIGHT	568 GREEN VALLEY AVENUE	HOUSTON	TX
50:	4588719090	SHIRLEY D JOHNSON	716 COBBS ROAD	TULSA	OK
51:	4776111101	JOSEPH P HAMMOND	6532 BRANDYWINE STREET	PASADENA	CA
52:	4813060102	REBECCA S NORTON	1175 ELLIS COURT	LOUISVILLE	KY
53:	4862587103	JILL M BENSON	170 SIERRA VISTA ROAD	HELENA	MT
54:	4893602104	LAURIE R RAMSEY	902 PECAN VALLEY STREET	PONCA CITY	OK
55:	4934781105	CHERYL H HABERMANN	930 CLIFTWOOD AVENUE	BUFFALO	NY
56:	5105151106	SHIRLEY P TYLER	5262 BRIDGE CIRCLE	FORT COLLINS	CO
57:	5220743107	CHRISTOPHER F MORGAN	9624 BONANZA AVENUE	DOWNEY	CA

58:	5239514108	NATHAN O SCHAEFER	7644 INDUSTRIAL ROAD	EUGENE	OR
59:	5462366109	DIANE P JENNINGS	2454 ROSA LINDA ROAD	KNOXVILLE	TN
60:	5470384110	JILL F ROSS	949 ROSEWOOD STREET	BALDWIN	MO
61:	5582803121	ANGELA J ERWIN	2709 BIENVILLE STREET	NEWPORT BEACH	CA
62:	5618369122	PETER F ALEXANDER	5500 KNICKERBOCKER AVENUE	BINGHAMTON	NY
63:	5731895123	BETTY H BOWERS	3787 WINDWOOD PLACE	SALT LAKE CITY	UT
64:	5764671124	PETER L SCHAEFER	358 ATOLL STREET	PASADENA	CA
65:	5867208125	JOYCE K JENNINGS	1580 ROSA LINDA COURT	TUCSON	AZ
66:	5877149126	ROBERT P GLOVER	6394 PARSON ROAD	NORWALK	CT
67:	5922222127	RUTH N ALEXANDER	259 SEASIDE ROAD	ANNAPOLIS	MD
68:	6007109128	JARED D HILLFORD	879 MICHIGAN AVENUE	PONCA CITY	OK
69:	6131803129	HELEN R DRAKE	263 BENSON STREET	DENVER	CO
70:	6212865130	JOYCE C EUBANKS	516 WESTRIDGE BLVD	WEST BRADENTON	FL
71:	6288450141	DEBRA B JACKSON	7426 PARSON ROAD	MINNEAPOLIS	MN
72:	6315453142	BILL M TEASDALE	608 LINCOLN ROAD	FORT WORTH	TX
73:	6426347143	PATTY C ELISON	5454 LINCOLN AVENUE	DETROIT	MI
74:	6532928144	HANNAH O NEWBURY	3634 SIERRA VISTA STREET	BOSTON	MA
75:	6552938145	BETTY V POWERS	454 JUNIPER AVENUE	ANN ARBOR	MI
76:	6565164146	JACK H EUBANKS	3699 SOUTHLAND PLACE	FREMONT	CA
77:	6613600147	TAMMY O EUBANKS	5230 DAISY AVENUE	KEARNEY	NE
78:	6660837148	BRIAN T PARRISH	751 PECAN VALLEY COURT	ANN ARBOR	MI
79:	6740697149	LARRY O MORENO	6565 JACKSON STREET	EUGENE	OR
80:	6865914150	DEBRA F BOWERS	8793 GARDEN AVENUE	DES PLAINES	IL
81:	6890599161	LARRY G PARKER	827 MEADOW STREET	SAN DIEGO	CA
82:	6911300162	JANET H HAMMOND	5064 GRANT STREET	DES PLAINES	IL
83:	7110260163	BEVERLY K WEAVER	829 HORSESHOE CIRCLE	LA JOLLA	CA
84:	7170298164	KEVIN L FONTAINE	3527 APPLE VALLEY STREET	MISSOULA	MT
85:	7255026165	JERRY S BOWERS	395 ALTAVISTA COURT	SAN DIEGO	CA
86:	7792268166	JOAN C GLOVER	6152 CUMBERLAND AVENUE	NEW YORK	NY
87:	8198053167	RONALD A EUBANKS	378 SHORE STREET	ANCHORAGE	AK
88:	8214332168	ROY P MATTOX	154 SUNSET COURT	WEST PALM BEACH	FL
89:	8216798169	ROY F NORRIS	3212 ALTAVISTA BLVD	BOSTON	MA
90:	8309814170	EVERETT A ERWIN	926 BALBOA STREET	OKLAHOMA CITY	OK
91:	8491480181	JOYCE S HODGES	682 PARKER PLACE	CLEVELAND	OH
92:	8544794182	NATHAN R JOHNSON	1034 TWILIGHT ROAD	COVINGTON	LA
93:	8675854183	ANDREW B WINSTON	2458 ELLIS ROAD	SPRING	TX
94:	8763434184	CRAIG I GOODLOW	1667 WASHINGTON ROAD	MONTGOMERY	AL
95:	8969094185	ERNIE N DUNBAR	2830 NORTHFIELD STREET	LOUISVILLE	KY
96:	9235874186	TED R BOWERS	532 PECAN VALLEY STREET	PRESCOTT	AZ
97:	9266973187	ANDREW K CONLEY	689 WINDTREE BLVD	ATLANTA	GA
98:	9445325188	ARNOLD F RAMSEY	8629 LINCOLN CIRCLE	MONTGOMERY	AL
99:	9604395189	JANET M BARBER	1605 GARRETT STREET	LA JOLLA	CA
100:	9962289190	PETER R STUART	870 BALBOA COURT	PHILADELPHIA	PA