

J E S 2 J O B L O G

11.23.00 JOB 122 \$HASP373 LOAD03VX STARTED - INIT 1 - CLASS A - SYS HMVS
11.23.00 JOB 122 IEF403I LOAD03VX - STARTED - TIME=11.23.00
11.23.00 JOB 122 IEFACTRT IDCAMS1 /IDCAMS /00:00:00.07/00:00:00.12/00000/LOAD03VX
11.23.00 JOB 122 IEF234E K 100,N00001,PVT,LOAD03VX,LOAD03V
11.23.00 JOB 122 IEFACTRT LOAD03V /LOAD03V /00:00:00.10/00:00:00.12/00000/LOAD03VX
11.23.00 JOB 122 IEFACTRT IDCAMS2 /IDCAMS /00:00:00.40/00:00:00.43/00000/LOAD03VX
11.23.00 JOB 122 IEF404I LOAD03VX - ENDED - TIME=11.23.00
11.23.00 JOB 122 \$HASP395 LOAD03VX ENDED

----- JES2 JOB STATISTICS -----

03 AUG 25 JOB EXECUTION DATE

96 CARDS READ

269 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.01 MINUTES EXECUTION TIME

```
/* DELETE ESDS CLUSTER AND ASSOCIATED OBJECTS, IF EXISTS */
DELETE HMVS01.SALES.HISTORY CLUSTER PURGE
```

IDC0550I ENTRY (R) HMVS01.SALES.HISTORY.CUSTOMER.IX DELETED

IDC0550I ENTRY (D) HMVS01.SALES.HISTORY.AIX1.DATA DELETED

IDC0550I ENTRY (I) HMVS01.SALES.HISTORY.AIX1.INDEX DELETED

IDC0550I ENTRY (G) HMVS01.SALES.HISTORY.AIX1 DELETED

IDC0550I ENTRY (R) HMVS01.SALES.HISTORY.TYPE.IX DELETED

IDC0550I ENTRY (D) HMVS01.SALES.HISTORY.AIX2.DATA DELETED

IDC0550I ENTRY (I) HMVS01.SALES.HISTORY.AIX2.INDEX DELETED

IDC0550I ENTRY (G) HMVS01.SALES.HISTORY.AIX2 DELETED

IDC0550I ENTRY (D) HMVS01.SALES.HISTORY.DATA DELETED

IDC0550I ENTRY (C) HMVS01.SALES.HISTORY DELETED

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

```
/* IF THERE WAS NO CLUSTER TO DELETE, RESET CC          */
IF LASTCC = 8 THEN
```

DO

SET LASTCC = 0

SET MAXCC = 0

END

```
/* DEFINE ESDS CLUSTER          */
DEFINE CLUSTER (                  -
    NAME(HMVS01.SALES.HISTORY)   -
    VOLUMES(PUB000)              -
    RECORDSIZE(118 118)          -
    RECORDS(11500 0)             -
    NONINDEXED                   -
    UNIQUE )                     -
DATA (                           -
    NAME(HMVS01.SALES.HISTORY.DATA) )
```

IDC0508I DATA ALLOCATION STATUS FOR VOLUME PUB000 IS 0

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

IDC0002I IDCAMS PROCESSING COMPLETE. MAXIMUM CONDITION CODE WAS 0

Page 1

```
11,124 Records read from SALESI
      0 Records not written (errors)
11,124 Records written to SALES0
```

```
/* DEFINE ALTERNATE INDEX CUSTOMER+TYPE+RRN */
```

```
DEFINE ALTERNATEINDEX ( -  
    NAME(HMVS01.SALES.HISTORY.AIX1) -  
    RELATE(HMVS01.SALES.HISTORY) -  
    VOLUMES(PUB000) -  
    RECORDSIZE(51 51) -  
    TRACKS(15 5) -  
    KEYS(42 61) -  
    UNIQUEKEY -  
    UPGRADE -  
    UNIQUE ) -  
DATA ( -  
    NAME(HMVS01.SALES.HISTORY.AIX1.DATA) ) -  
INDEX ( -  
    NAME(HMVS01.SALES.HISTORY.AIX1.INDEX) )
```

IDC0508I DATA ALLOCATION STATUS FOR VOLUME PUB000 IS 0

IDC0509I INDEX ALLOCATION STATUS FOR VOLUME PUB000 IS 0

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

```
/* BUILD THE ALTERNATE INDEX FROM THE ESDS CLUSTER */
```

```
BLDINDEX INDATASET(HMVS01.SALES.HISTORY) -  
    OUTDATASET(HMVS01.SALES.HISTORY.AIX1)
```

IDC0652I HMVS01.SALES.HISTORY.AIX1 SUCCESSFULLY BUILT

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

```
DEFINE PATH ( -  
    NAME(HMVS01.SALES.HISTORY.CUSTOMER.IX) -  
    PATHENTRY(HMVS01.SALES.HISTORY.AIX1) )
```

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

```
/* DEFINE ALTERNATE INDEX RRN+TYPE */
```

```
DEFINE ALTERNATEINDEX ( -  
    NAME(HMVS01.SALES.HISTORY.AIX2) -  
    RELATE(HMVS01.SALES.HISTORY) -
```

INDEX

```
IDC0002I IDCAMS PROCESSING COMPLETE. MAXIMUM CONDITION CODE WAS 0
```